

NAME

find2perl - translate find command lines to Perl code

SYNOPSIS

```
find2perl [paths] [predicates] | perl
```

DESCRIPTION

find2perl is a little translator to convert find command lines to equivalent Perl code. The resulting code is typically faster than running find itself.

"paths" are a set of paths where find2perl will start its searches and "predicates" are taken from the following list.

! PREDICATE

Negate the sense of the following predicate. The ! must be passed as a distinct argument, so it may need to be surrounded by whitespace and/or quoted from interpretation by the shell using a backslash (just as with using find(1)).

(PREDICATES)

Group the given PREDICATES. The parentheses must be passed as distinct arguments, so they may need to be surrounded by whitespace and/or quoted from interpretation by the shell using a backslash (just as with using find(1)).

PREDICATE1 PREDICATE2

True if `_both_` PREDICATE1 and PREDICATE2 are true; PREDICATE2 is not evaluated if PREDICATE1 is false.

PREDICATE1 -o PREDICATE2

True if either one of PREDICATE1 or PREDICATE2 is true; PREDICATE2 is not evaluated if PREDICATE1 is true.

-follow

Follow (dereference) symlinks. The checking of file attributes depends on the position of the -follow option. If it precedes the file check option, an `stat` is done which means the file check applies to the file the symbolic link is pointing to. If -follow option follows the file check option, this now applies to the symbolic link itself, i.e. an `lstat` is done.

-depth

Change directory traversal algorithm from breadth-first to depth-first.

-prune

Do not descend into the directory currently matched.

-xdev

Do not traverse mount points (prunes search at mount-point directories).

-name GLOB

File name matches specified GLOB wildcard pattern. GLOB may need to be quoted to avoid interpretation by the shell (just as with using find(1)).

-iname GLOB

Like -name, but the match is case insensitive.

-path GLOB

Path name matches specified GLOB wildcard pattern.

- ipath GLOB
Like -path, but the match is case insensitive.
- perm PERM
Low-order 9 bits of permission match octal value PERM.
- perm -PERM
The bits specified in PERM are all set in file's permissions.
- type X
The file's type matches perl's -X operator.
- fstype TYPE
Filesystem of current path is of type TYPE (only NFS/non-NFS distinction is implemented).
- user USER
True if USER is owner of file.
- group GROUP
True if file's group is GROUP.
- nouser
True if file's owner is not in password database.
- nogroup
True if file's group is not in group database.
- inum INUM
True if file's inode number is INUM.
- links N
True if (hard) link count of file matches N (see below).
- size N
True if file's size matches N (see below) N is normally counted in 512-byte blocks, but a suffix of "c" specifies that size should be counted in characters (bytes) and a suffix of "k" specifies that size should be counted in 1024-byte blocks.
- atime N
True if last-access time of file matches N (measured in days) (see below).
- ctime N
True if last-changed time of file's inode matches N (measured in days, see below).
- mtime N
True if last-modified time of file matches N (measured in days, see below).
- newer FILE
True if last-modified time of file matches N.
- print
Print out path of file (always true). If none of -exec, -ls, -print0, or -ok is specified, then -print will be added implicitly.
- print0
Like -print, but terminates with \0 instead of \n.

-exec OPTIONS ;

exec() the arguments in OPTIONS in a subprocess; any occurrence of {} in OPTIONS will first be substituted with the path of the current file. Note that the command "rm" has been special-cased to use perl's unlink() function instead (as an optimization). The ; must be passed as a distinct argument, so it may need to be surrounded by whitespace and/or quoted from interpretation by the shell using a backslash (just as with using find(1)).

-ok OPTIONS ;

Like -exec, but first prompts user; if user's response does not begin with a y, skip the exec. The ; must be passed as a distinct argument, so it may need to be surrounded by whitespace and/or quoted from interpretation by the shell using a backslash (just as with using find(1)).

-eval EXPR

Has the perl script eval() the EXPR.

-ls

Simulates -exec ls -dils {} ;

-tar FILE

Adds current output to tar-format FILE.

-cpio FILE

Adds current output to old-style cpio-format FILE.

-ncpio FILE

Adds current output to "new"-style cpio-format FILE.

Predicates which take a numeric argument N can come in three forms:

- * N is prefixed with a +: match values greater than N
- * N is prefixed with a -: match values less than N
- * N is not prefixed with either + or -: match only values equal to N

SEE ALSO

find